



POWER ACOUSTIK®




in-Car / Marine entertainment

2022

— POWERACOUSTIK.COM —





CarPlay is a smarter, safer way to use your iPhone in the car. CarPlay takes the things you want to do with your iPhone while driving and puts them right on your car stereo display. You can get directions, make calls, send and receive messages, and listen to music, all in a way that allows you to stay focused on the road. Just connect your iPhone and go. CarPlay supports other apps on your iPhone — like your favorite audio, messaging, and voice apps. You can personalize your experience by rearranging exactly how your apps appear in CarPlay through settings on your iPhone.



androidauto

Stay focused, connected, and entertained with the perfect driving companion. With Google Assistant on Android Auto, you'll keep eyes on the road and hands on the wheel using your voice to help with your day. Google Assistant keeps you connected with hands-free calling from your contacts, chat with your favorite apps, read and

respond to messages, and so much more. Get real-time traffic alerts from Google Maps, queue-up the soundtrack to your life from your favorite music streaming, podcast, and news apps. Download the Android Auto App and run it every time you're on the road.



APPLE CARPLAY & ANDROID AUTO

SOURCE UNITS

CPAA-70D10F - w/ DVD

CPAA-70D10M - DIGITAL MEDIA

2-DIN DVD CAR STEREO w/APPLE CARPLAY, ANDROID AUTO, BLUETOOTH, & ARTICULATING 10.6" LCD



androidauto

ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
Articulating Faceplate for Height, Tilt, & Pivot
1,024x600 Resolution WSVGA 10.6" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Works w/ Apple CarPlay & Siri Eyes Free
Works w/ Android Auto & Google Assistant
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Video & CD Audio Playback (CPAA-70D10F only)
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Second USB-A Connection for 2A Quick Charging
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

APPLE CARPLAY & ANDROID AUTO

SOURCE UNITS

CPAA-70D - DVD

CPAA-70DM - DIGITAL MEDIA

2-DIN DVD CAR STEREO w/ APPLE CARPLAY, ANDROID AUTO, BLUETOOTH CONNECTIVITY, & 7" LCD



— NEW FOR —
2022

androidauto



ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
800x480 Resolution WVGA 7" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Works w/ Apple CarPlay & Siri Eyes Free
Works w/ Android Auto & Google Assistant
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Video & CD Audio Playback (CPAA-70D only)
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

APPLE CARPLAY & ANDROID AUTO

SOURCE UNITS

CPAA-70M - USB CARPLAY & ANDRIOD AUTO

CPAA-70MW - WIRELESS CARPLAY & ANDROID AUTO

2-DIN DIGITAL MEDIA CAR STEREO w/ APPLE CARPLAY, ANDROID AUTO, BLUETOOTH, & 7" LCD

— NEW FOR —
2022



androidauto



ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
800x480 Resolution WVGA 7" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Works w/ Apple CarPlay & Siri Eyes Free
Works w/ Android Auto & Google Assistant
Wfi for Wireless Carplay & Android Auto (CPAA-70MW)
Bluetooth V5.0 Hands Free Wireless Connectivity
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

GPS NAVIGATION SOURCE UNITS

PDN-106FD

2-DIN GPS NAVIGATION DVD CAR STEREO w/ PHONELINK FOR ANDROID, & ARTICULATING 10.6" LCD



ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
Articulating Faceplate for Height, Tilt, & Pivot
1,024x600 Resolution WSVGA 10.6" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Turn-by-Turn GPS Navigation Powered by iGo
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Second USB-A Connection for 2A Quick Charging
Advanced FM/AM Tuner with RDS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

TURN-BY-TURN GPS NAVIGATION POWERED BY IGO

USA Map & +17 Million Point-of-Interest Database Included
Map & POI Updates Available from Naviextras.com
Choose Destination by Address, POI, or GPS Location
On-Screen & Audible Text-to-Speech Commands
Highway & Major Road Lane Departure Guidance

PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
2A USB Charging Maintains Battery Life

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



GPS NAVIGATION SOURCE UNITS

PDN-1060HB

2-DIN GPS NAVIGATION DVD CAR STEREO w/ PHONELINK FOR ANDROID, & ARTICULATING 10.6" LCD



ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
Articulating Faceplate for Height, Tilt, & Pivot
10.6" 1,024x600 WSVGA Resolution LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Turn-by-Turn GPS Navigation Powered by iGo
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

TURN-BY-TURN GPS NAVIGATION POWERED BY IGO

USA Map & +17 Million Point-of-Interest Database Included
Map & POI Updates Available from Navextras.com
Choose Destination by Address, POI, or GPS Location
On-Screen & Audible Text-to-Speech Commands
Highway & Major Road Lane Departure Guidance

PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
2A USB Charging Maintains Battery Life

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
300w 4ch. High Power MOSFET Speaker Outputs



GPS NAVIGATION SOURCE UNITS

PDN-621HB

2-DIN GPS NAVIGATION DVD MULTIMEDIA CAR STEREO w/ PHONELINK FOR ANDROID, & 6.2" LCD



ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
6.2" 800x480 WVGA Resolution LCD Display
SmartSense Clear Glass Resistive Touchscreen
Turn-by-Turn GPS Navigation Powered by iGo
PhoneLink For Android 2-way Screen Mirroring
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

TURN-BY-TURN GPS NAVIGATION POWERED BY IGO

USA Map & +17 Million Point-of-Interest Database Included
Map & POI Updates Available from Navextras.com
Choose Destination by Address, POI, or GPS Location
On-Screen & Audible Text-to-Speech Commands
Highway & Major Road Lane Departure Guidance

PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
2A USB Charging Maintains Battery Life

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
300w 4ch. High Power MOSFET Speaker Outputs



GPS NAVIGATION SOURCE UNITS

PDN-721HB

1-DIN GPS NAVIGATION DVD MULTIMEDIA CAR STEREO w/ PHONELINK FOR ANDROID & MOTORIZED 7" LCD



ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 1-DIN Chassis Installs in Most Vehicles
4-Position Tilting LCD w/ Last Position Memory
Theft-Deterrent Detachable Faceplate w/ Case
7" 800x480 WVGA Resolution LCD Display
SmartSense Clear Glass Resistive Touchscreen
Turn-by-Turn GPS Navigation Powered by iGo
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera w/ Auto Turn-on Trigger
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

TURN-BY-TURN GPS NAVIGATION POWERED BY IGO

USA Map & +17 Million Point-of-Interest Database Included
Map & POI Updates Available from Naviextras.com
Choose Destination by Address, POI, or GPS Location
On-Screen & Audible Text-to-Speech Commands
Highway & Major Road Lane Departure Guidance

PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
2A USB Charging Maintains Battery Life

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
300w 4ch. High Power MOSFET Speaker Outputs



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

DVD MULTIMEDIA SOURCE UNITS

PD-106FD

2-DIN DVD MULTIMEDIA CAR STEREO w/ PHONELINK FOR ANDROID & ARTICULATING 10.6" LCD



—NEW FOR—
2022

ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
Articulating Faceplate for Height, Tilt, & Pivot
10.6" 1,024x600 WSVGA Resolution LCD Display
Pinpoint Accuracy Capacitive Touchscreen
Phonelink For Android 2-way Screen Mirroring
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Second USB-A Connection for 2A Quick Charging
Advanced FM/AM Tuner with RDS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly



PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
2A USB Charging Maintains Battery Life

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

DVD MULTIMEDIA SOURCE UNITS

PD-1060HB

2-DIN DVD MULTIMEDIA CAR STEREO w/ PHONELINK FOR ANDROID, & ARTICULATING 10.6" LCD



ENTERTAINMENT CENTER GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
Articulating Faceplate for Height, Tilt, & Pivot
1,024x600 Resolution WSVGA 10.6" LCD Display
Pinpoint Accuracy Capacitive Touchscreen
PhoneLink For Android 2-way Screen Mirroring
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly



PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
2A USB Charging Maintains Battery Life

AUDIO/VIDEO CONFIGURATIONS

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

DVD MULTIMEDIA SOURCE UNITS

PD-7002 -

2-DIN DVD MULTIMEDIA CAR STEREO w/ PHONELINK FOR ANDROID & 7" LCD

— NEW FOR —
2022

GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
7" 800x480 Resolution WVGA LCD Display
SmartSense Clear Glass Resistive Touchscreen
PhoneLink For Android 2-way Screen Mirroring
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera & Front View Camera Input
10-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

ANDROID PHONELINK

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (front)

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly



AUDIO/VIDEO IN'S & OUT'S

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



PD-627B - 2-DIN DVD MULTIMEDIA CAR STEREO w/ BLUETOOTH CONNECTIVITY & 6.2" LCD

GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
6.2" 800x480 Resolution WVGA LCD Display
SmartSense Clear Glass Resistive Touchscreen
PhoneLink For Android 2-way Screen Mirroring
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera w/ Auto Turn-on Trigger
8-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

AUDIO/VIDEO IN'S & OUT'S

Front & Rear RCA Pre-Amp Audio Outputs
Subwoofer RCA Pre-Amp Audio Output
Video RCA Output to Auxiliary Devices
Rear Audio/Video Input for Personal Media Devices
Rear View Camera Input Manual & Auto-Trigger
Front Camera RCA Input w/ On-Screen Trigger
300w 4ch. High Power MOSFET Speaker Outputs



BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

DVD MULTIMEDIA SOURCE UNITS

PD-625B - 2-DIN DVD MULTIMEDIA CAR STEREO w/ BLUETOOTH CONNECTIVITY & DETACHABLE 7" LCD

GENERAL INFORMATION

ISO 2-DIN Chassis Installs in Most Vehicles
7" 800x480 Resolution WVGA LCD Display
Theft-Deterrent Detachable Faceplate w/ Case
SmartSense Clear Glass Resistive Touchscreen
Bluetooth V5.0 Hands Free Wireless Connectivity
DVD Audio/Video Playback & CD Audio Playback
MP3 & MP4 Playback from 64GB USB or Micro SD Card
Advanced FM/AM Tuner with RDBS Data Display
Accepts Analog OEM Steering Wheel Controls
Rear Back-up Camera w/ Auto Turn-on Trigger
8-Band Digital Audio EQ & with User Presets
Wireless Direct Select Remote Control Included

BLUETOOTH V5.0 HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Calls & Displays Call Logs
Phone Book Access Profile Displays Caller ID Info & Contacts
Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
6ch Preamp RCA Outputs; Front + Rear + Subwoofer
RCA A/V Input for External Source Input + 2 RCA Video Output
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PD-624B

ISO 2-DIN DVD, CD/MP3, AM/FM RECEIVER, w/ BLUETOOTH V4.0 CONNECTIVITY & 6.2" LCD

GENERAL INFORMATION

2-DIN Multimedia System w/ 6.2" LCD
ISO 2-Din Chassis, Mounting Brackets Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Resistive Touchscreen
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
7-Color RGB LED Illuminated Keys & Accents
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger
10-Band 8dB Boost/Cut Equalizer & Preset EQs

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
6ch Preamp RCA Outputs; Front + Rear + Subwoofer
2 RCA Video Output to Rear Seat Entertainment Devices
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Micro/TF SD Card
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback



DVD MULTIMEDIA SOURCE UNITS

PD-623B

ISO 2-DIN DVD, CD/MP3, AM/FM RECEIVER W/ BLUETOOTH CONNECTIVITY, & 6.2" LCD

GENERAL INFORMATION

2-DIN Multimedia System w/ 6.2" LCD
ISO 2-Din Chassis, Mounting Sleeve Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Restive Touchscreen
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
7-Color RGB LED Illuminated Keys & Accents
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger
8-Band 14dB Boost/Cut Equalizer & Preset EQs

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
6ch Preamp RCA Outputs: Front + Rear + Subwoofer
2 RCA Video Outputs to Rear Seat Entertainment Devices
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Micro/TF SD Card
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback



PD-620HB

ISO 2-DIN DVD, CD/MP3, AM/FM RECEIVER,
BLUETOOTH V4.0 CONNECTIVITY, & 6.2" LCD

GENERAL INFORMATION

2-DIN Multimedia System w/ 6.2" LCD
ISO 2-Din Chassis, Mounting Sleeve Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Restive Touchscreen
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
8-Band 14dB Boost/Cut Equalizer & Preset EQs
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
6ch Preamp RCA Outputs: Front + Rear + Subwoofer
2 RCA Video Output to Rear Seat Entertainment Devices
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in

ANDROID PHONELINK

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (rear)



DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Micro/TF SD Card
1080p MP4 & WMV Video Playback; MP3 & WMA Audio Playback



DVD MULTIMEDIA SOURCE UNITS

PD-651B

ISO 2-DIN DVD, CD/MP3, AM/FM RECEIVER
W/ BLUETOOTH CONNECTIVITY, & 7" LCD

GENERAL INFORMATION

2-DIN Multimedia System w/ 7" LCD
ISO 2-Din Chassis, Mounting Sleeve Included
HD 6.8" 1024x600 LCD w/ Adjustable Backlight
SmartSense Clear Glass Restive Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger
Front Camera RCA Input w/ On-Screen Trigger
10-Band 8dB Boost/Cut Equalizer & Preset EQs

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
6ch Preamp RCA Outputs; Front + Rear + Subwoofer
2 RCA Video Output to Rear Seat Entertainment Devices
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from Up to 64GB USB Flash Drive
1080p MP4 & WMV Video Playback; MP3 & WMA Audio Playback



ANDROID PHONELINK

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (front)



PD-721B

ISO 1-DIN DVD, CD/MP3, AM/FM RECEIVER W/ BLUETOOTH
CONNECTIVITY, & MOTORIZED 7" LCD

GENERAL INFORMATION

1-DIN Multimedia System w/ Motorized 7" LCD
ISO 1-Din Chassis, Mounting Sleeve Included
Theft-Deterrent Detachable Faceplate w/ Case
HD 7" 800x480 LCD w/ Adjustable Backlight
4-Position Tilting LCD w/ Last Position Memory
SmartSense Clear Glass Restive Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
10-Band 14dB Boost/Cut Equalizer w/ Presets
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
5ch Preamp RCA Outputs; Front + Rear + Subwoofer
RCA Video Output to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Full Size SD Card
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback



SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

DVD MULTIMEDIA SOURCE UNITS

PD-724B

1-DIN DVD, CD/MP3, AM/FM RECEIVER, W/ BLUETOOTH V4.0 CONNECTIVITY & MOTORIZED 7" LCD

GENERAL INFORMATION


1-DIN Multimedia System w/ Motorized 7" LCD
ISO 1-Din Chassis, Mounting Sleeve Included
Theft-Deterrent Detachable Faceplate w/ Case
HD 7" 800x480 LCD w/ Adjustable Backlight
4-Position Tilting LCD w/ Last Position Memory
SmartSense Clear Glass Restive Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
10-Band 14dB Boost/Cut Equalizer w/ Presets
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Micro/TF SD Card
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
6ch Preamp RCA Outputs: Front + Rear + Subwoofer
2 RCA Video Output to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PTID-8920B

ISO 1-DIN DVD, CD/MP3, AM/FM RECEIVER W/ BLUETOOTH
V4.0 CONNECTIVITY, & MOTORIZED 7" LCD

GENERAL INFORMATION

1-DIN Multimedia System w/ Motorized 7" LCD
ISO 1-Din Chassis, Mounting Sleeve Included
Theft-Deterrent Detachable Faceplate w/ Case
HD 7" 800x480 LCD w/ Adjustable Backlight
4-Position Tilting LCD w/ Last Position Memory
SmartSense Clear Glass Restive Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
10-Band 14dB Boost/Cut Equalizer w/ Presets
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
5ch Preamp RCA Outputs: Front + Rear + Subwoofer
RCA Video Output to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Micro/TF SD Card
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

ANDROID PHONELINK

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (front)



DIGITAL MULTIMEDIA SOURCE UNITS

PD-720B

ISO 1-DIN DVD, CD/MP3, AM/FM RECEIVER W/BLUETOOTH V4.0 CONNECTIVITY & MOTORIZED 7" LCD

GENERAL INFORMATION

1-DIN Multimedia System w/ Motorized 7" LCD
ISO 1-Din Chassis, Mounting Sleeve Included
Theft-Deterrent Detachable Faceplate w/ Case
HD 7" 800x480 LCD w/ Adjustable Backlight
4-Position Tilting LCD w/ Last Position Memory
Clear Glass Resistive Anti-Glare Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
RCA Back-up Camera Input w/ +12V Auto-on Trigger
8-Band 8dB Boost/Cut Equalizer & Preset EQs

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Micro/TF SD Card
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
5ch Preamp RCA Outputs; Front + Rear + Variable Subwoofer
RCA Video Output to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PD-710B

ISO 1-DIN DVD, CD/MP3, AM/FM RECEIVER, W/
BLUETOOTH V4.0, & DETACHABLE 7" LCD

GENERAL INFORMATION

1-DIN Multimedia System w/ Motorized 7" LCD
ISO 1-Din Chassis, Mounting Sleeve Included
Theft-Deterrent Detachable Faceplate w/ Case
HD 7" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Resistive Touchscreen
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
Steering Wheel Remote Control Input(s) Included
RCA Back-up Camera Input w/ +12V Auto-on Trigger

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Full Size SD Card
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
5ch Preamp RCA Outputs; Front + Rear + Subwoofer
RCA Video Output to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



DIGITAL VIDEO SOURCE UNITS

— NEW FOR —
2022

PL-7002B

2-DIN DIGITAL MEDIA RECEIVER
W/ BLUETOOTH CONNECTIVITY,
ANDROID PHONELINK, & 7" LCD

GENERAL INFORMATION

2-DIN Multimedia System w/ 7" LCD
ISO 2-Din Chassis, Mounting Brackets Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Capacitive Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
Back-up Camera RCA Input w/ +12V Auto-on Trigger
10-Band 8dB Boost/Cut Equalizer & Preset EQs

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from Up to 64GB USB Flash Drive
1080p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
RCA A/V Input from External Sources on Back Panel
2ch Preamp RCA Outputs; Front Left & Front Right
RCA Video Outputs to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PhoneLink for Android

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (front)



PL-700HB

2-DIN DIGITAL MEDIA RECEIVER
W/ BLUETOOTH CONNECTIVITY,
ANDROID PHONELINK, & 7" LCD

GENERAL INFORMATION

2-DIN Multimedia System w/ 7" LCD
ISO 2-Din Chassis, Mounting Brackets Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Capacitive Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
Back-up Camera RCA Input w/ +12V Auto-on Trigger
10-Band 8dB Boost/Cut Equalizer & Preset EQs

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from Up to 64GB USB Flash Drive
1080p MP4 & WMV Video Playback; MP3 & WMA Audio Playback


AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
RCA A/V Input from External Sources on Back Panel
2ch Preamp RCA Outputs; Front Left & Front Right
RCA Video Outputs to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PhoneLink for Android

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (front)



DIGITAL VIDEO SOURCE UNITS

PL-622HB

2-DIN DIGITAL MEDIA RECEIVER W/
BLUETOOTH CONNECTIVITY, ANDROID
PHONELINK, & 6.2" LCD

GENERAL INFORMATION

2-DIN Multimedia System w/ 6.2" LCD
ISO 2-Din Chassis, Mounting Brackets Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
SmartSense Clear Glass Capacitive Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
Back-up Camera RCA Input w/ +12V Auto-on Trigger
Front Camera RCA Input w/ On-Screen Trigger
10-Band 8dB Boost/Cut Equalizer & Preset EQs

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from 64GB USB or Micro/TF SD Card
1080p MP4 & WMV Video & MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
AUX A/V (3.5mm) Input from External Sources on Back Panel
2ch Preamp RCA Outputs; Front Left & Front Right
RCA Video Outputs to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (front)



PL-430HB

1-DIN DVD, CD/MP3, AM/FM RECEIVER W/ BLUETOOTH
CONNECTIVITY, & DETACHABLE 4.3" LCD

GENERAL INFORMATION

2-DIN Multimedia System w/ 6.4.3" LCD
ISO 2-Din Chassis, Mounting Brackets Included
HD 6.2" 800x480 LCD w/ Adjustable Backlight
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
Back-up Camera RCA Input w/ +12V Auto-on Trigger
4-Band 8dB Boost/Cut Equalizer & Preset EQs

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from 64GB USB or Micro/TF SD Card
1080p MP4 & WMV Video; MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Front Panel
RCA A/V Input from External Sources on Back Panel
2ch Preamp RCA Outputs; Front Left & Front Right
RCA Video Outputs to Rear Seat Entertainment Systems
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PHONELINK FOR ANDROID

Enabled Smart Device Mirrors Display to Head Unit
2-way Communication Enables Mobile Device Control
Stay Connected without Handling Distracting Devices
Retains Use of Smart Device's Voice Recognition Service
Connection Requires Original USB Charging Cable
1A USB Charging Maintains Battery Life (front)



CD & DIGITAL AUDIO SOURCE UNITS

PCD-52B - 2-DIN CD/MP3 HEAD UNIT W/ BLUETOOTH CONNECTIVITY

GENERAL INFORMATION

2-DIN CD/MP3 Digital Audio Entertainment System
ISO 2-Din Chassis, Mounting Brackets Included
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming

DIGITAL MEDIA PLAYBACK

Audio Playback from CD & CDR Disc (PCD)
Audio Playback from 64GB USB or Full Size SD Card
MP3 & WMA Audio File Type Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Faceplate
AUX Audio RCA Input from External Sources on Back Panel
6ch Preamp RCA Outputs; Front + Rear + Subwoofer
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PCD-51B 1-DIN CD/MP3 HEAD UNIT W/ BLUETOOTH CONNECTIVITY

GENERAL INFORMATION

1-DIN CD/MP3 Digital Audio Entertainment System
ISO 1-Din Chassis, Mounting Sleeve Included
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming

DIGITAL MEDIA PLAYBACK

Audio Playback from CD & CDR Discs
Audio Playback from 64GB USB or Full Size SD Card
MP3 & WMA Audio File Type Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Faceplate
AUX Audio RCA Input from External Sources on Back Panel
4ch Preamp RCA Outputs; Front L/R + Rear L/R
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PL-60MB

1-DIN MECHLESS DIGITAL RECIEVER W/ BLUETOOTH CONNECTIVITY,
HAND GESTURE & PHONE VOICE ASSISTANT CONTROL

—NEW FOR—
2022

GENERAL INFORMATION

ISO 1-Din Chassis, Mounting Brackets Included
Smartphone Voice Assistant Quick Touch Key
Multi-Color LCD Display with Spectrum Analyzer
Bluetooth Phone Calling + A2DP Audio Streaming
Motion Sensors Built-in for Hand Gesture Controls
Dual USB for Fast Charging & Music Playback

BLUETOOTH HANDS-FREE WIRELESS CONNECTIVITY

Hands-Free Profile Dials & Receives Phone Calls
Smartphone Voice Assistant Quick Touch Key

DIGITAL MEDIA PLAYBACK

Audio Playback from Up to 64GB USB Flash Drive of MP3 & WMA
3.5mm Aux Audio Input for Portable Music Device or Smartphone

Audio Inputs & Outputs

AUX Audio (3.5mm) Input for External Devices on Faceplate
4Ch Preamp RCA Outputs; Front L & R, Rear L & R
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



SMARTPHONE VOICE ASSISTANT



DIGITAL AUDIO SOURCE UNITS

PL-52B - 2-DIN DIGITAL MEDIA PLAYER W/ BLUETOOTH CONNECTIVITY

GENERAL INFORMATION

2-DIN Digital Audio Entertainment System
ISO 2-Din Chassis, Mounting Brackets Included
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming

BLUETOOTH V4.0 HANDS-FREE WIRELESS CONNECTIVITY

Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

DIGITAL MEDIA PLAYBACK

Audio Playback from 64GB USB or Full Size SD Card
MP3 & WMA Audio File Type Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Faceplate
4ch Preamp RCA Outputs; Front L/R + Rear L/R
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PL-51B 1-DIN DIGITAL MEDIA PLAYER W/ BLUETOOTH CONNECTIVITY

GENERAL INFORMATION

1-DIN Digital Audio Entertainment System
ISO 1-Din Chassis, Mounting Sleeve Included
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming

DIGITAL MEDIA PLAYBACK

Audio Playback from 64GB USB or Full Size SD Card
MP3 & WMA Audio File Type Playback

BLUETOOTH V4.0 HANDS-FREE WIRELESS CONNECTIVITY

Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input for External Devices on Faceplate
4ch Preamp RCA Outputs; Front L/R + Rear L/R
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



PL-40B 1-DIN DIGITAL MEDIA PLAYER w/ BLUETOOTH CONNECTIVITY & DUAL USB

—NEW FOR—
2022

GENERAL INFORMATION

1-DIN Digital Audio Entertainment System
ISO 1-Din Chassis, Mounting Sleeve Included
Dual USB Inputs for Playback & 2.1A Fast Charge
Audio Playback from 64GB USB or Micro SD Card

DIGITAL MEDIA PLAYBACK

Audio Playback from 64GB USB or Micro SD Card
MP3 & WMA Audio File Type Playback

AUDIO/VIDEO IN'S & OUT'S

AUX Audio (3.5mm) Input on Front Faceplate
4ch Preamp RCA Outputs; Front L/R + Rear L/R
4Ch. 300w Max Class A/B Speaker Amplifier Built-in



BLUETOOTH V4.0 HANDS-FREE WIRELESS CONNECTIVITY

Audio/Video Remote Control Profile Enables Playback Controls
Advanced Audio Distribution Profile Streams Audio Wirelessly

SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

REAR SEAT ENTERTAINMENT

PMD-130H

Ceiling Mount DVD Entertainment System w/ MobileLink Smartphone Mirroring, & 13" LCD



GENERAL INFORMATION

Interchangeable Color Skins Included (beige, black, grey)
Car-Spec DVD Drive for Extreme Temperature Exposure
90°/180° Swivel Screen for Angled Viewing
7-Color RGB LED Illuminated Keys & Accents
Triggered Bright White LED Dome Light
1920 x 1080 16:9 Widescreen Resolution
Dimensions: 16.5" w x 13.25" d x 2.25" h

MOBILELINK INTEGRATION

MobileLink Mirrors the Image of Your Smartphone or Tablet To The Ceiling Monitor via MHL HDMI Interface Cable.

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB & Full Size SD
720p MP4 & WMV Video or MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

HDMI Input for High-Definition External Source
Two Channel Wireless IR Transmitter (use HP-12)
8-ch FM Stereo Transmitter for OEM Integration
RCA & 3.5mm A/V Input for External Source Input
RCA A/V Output On-Board to Auxilliary Display Devices



REAR SEAT ENTERTAINMENT

PMD-103X - Ceiling Mount DVD Entertainment System w/ 10.3" LCD



GENERAL INFORMATION

Interchangeable Color Skins Included (beige, black, grey)
Car-Spec DVD Drive for Extreme Temperature Exposure
Triggered Bright White LED Dome Light
1024X600 16:9 Widescreen Resolution
Dimensions: 11" w x 9.75" d x 2.5" h

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB & Full Size SD
720p MP4 & WMV Video or MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

Two Channel Wireless IR Transmitter (use HP-12S)
8-ch FM Stereo Transmitter for OEM Integration
RCA A/V Input On-Board for External Source Input
RCA A/V Output On-Board to Auxiliary Display Devices

MOBILELINK INTEGRATION

MobileLink Mirrors the Image of Your Smartphone Or Tablet To The Ceiling Monitor via HDMI Interface Cable (sold separate).



REAR SEAT ENTERTAINMENT

HDVD-91CC - w/ 9" LCD

HDVD-71CC - w/ 7" LC

HEADREST ENTERTAINMENT SYSTEM w/ DVD PLAYER

MOBILELINK SMARTPHONE MIRRORING, & LCDDISPLAY



GENERAL INFORMATION

Polyester Foam Headrest w/ Leatherette Finish
3 Changeable Color Skins Included (grey, beige, black)
3/8" Dia. Locking Pole w/ 7/16", 1/2", & 9/16" Adapters
4.75" ~ 8.25" On-Center Pole Width Adjustment
800 x 480 16:9 Widescreen Resolution
Dimensions: 11.5" w x 7.75" h x 5" d (91CC)
Dimensions: 10" w x 7" h x 5.5" d (71CC)

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from Up to 64GB USB Flash Drive
1080p MP4 & WMV Video or MP3 & WMA Audio Playback



MOBILELINK INTEGRATION (91CC ONLY)

MobileLink Mirrors the Image of Your Smartphone Or Tablet To The Headrest Monitor via HDMI Interface Cable (sold separate).

AUDIO/VIDEO IN'S & OUT'S

185 Channel FM Stereo Transmitter for OEM Integration
Dual Channel Wireless IR Transmitter (use HP-12S)
RCA A/V Input for External Source Display or Opposite Headrest
RCA A/V Output to Auxiliary Display Devices or Slave Headrest
3.5mm AUX Audio Output for Hardwired Headphones



H-91CC - w/ 9" LCD

H-71CC - w/ 7" LCD


HEADREST ENTERTAINMENT SYSTEM w/ LCD DISPLAY

GENERAL INFORMATION

Polyester Foam Headrest w/ Leatherette Finish
3 Changeable Color Skins Included (grey, beige, black)
3/8" Dia. Locking Pole w/ 7/16", 1/2", & 9/16" Adapters
4.75" ~ 8.25" On-Center Pole Width Adjustment
800 x 480 16:9 Widescreen Resolution
Dimensions: 11.5" w x 7.75" h x 5" d (91CC)
Dimensions: 10" w x 7" h x 5.5" d (71CC)

AUDIO/VIDEO IN'S & OUT'S

Dual Channel Wireless IR Transmitter (use HP-12S)
2 RCA A/V Input for External Source or Master Headrest
3.5mm AUX Audio Output for Hardwired Headphones



REAR SEAT ENTERTAINMENT

HDVD-94 - w/ DVD PLAYER & 9" LCD HEADREST ENTERTAINMENT SYSTEM

GENERAL INFORMATION

Polyester Foam Headrest w/ Leatherette Finish
3 Changeable Color Skins Included (grey, beige, black)
Clear Glass Resistive Anti-Glare Touchscreen (94T)
3/8" Dia. Locking Pole w/ 1/2", & 9/16" Adapters
4.75" ~ 8.25" On-Center Pole Width Adjustment
800 x 480 16:9 Widescreen Resolution
Dimensions: 11.5"w x 8.5"h x 5"d

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from Up to 64GB USB or SD Card
720p MP4 & WMV Video or MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

185 Channel FM Stereo Transmitter for OEM Integration
Dual Channel Wireless IR Transmitter (use HP-12S)
RCA A/V Input for External Source Display or Opposite Headrest
RCA A/V Output to Auxiliary Display Devices or Slave Headrest
3.5mm AUX Audio Output for Hardwired Headphones



H-94 HEADREST ENTERTAINMENT SYSTEM w/ 9" LCD DISPLAY

GENERAL INFORMATION

Polyester Foam Headrest w/ Leatherette Finish
3 Changeable Color Skins Included (grey, beige, black)
3/8" Dia. Locking Pole w/ 1/2", & 9/16" Adapters
4.75" ~ 8.25" On-Center Pole Width Adjustment
800 x 480 16:9 Widescreen Resolution
Dimensions: 11.5"w x 8.5"h x 5"d

AUDIO/VIDEO IN'S & OUT'S


Dual Channel Wireless IR Transmitter (use HP-12S)
RCA A/V Input for External Source Display or Opposite Headrest
RCA A/V Output to Auxiliary Display Devices or Slave Headrest
3.5mm AUX Audio Output for Hardwired Headphones



REAR SEAT ENTERTAINMENT

PHD-101

UNIVERSAL HEADREST BRACKET MOUNTED DVD PLAYER W/ MOBILELINK SMARTPHONE MIRRORING & 10.1" LCD



GENERAL INFORMATION

Simple DIY Bracket Attaches Directly to Headrest Pole
Installation Requires only the Provided Hex Key Tool
Adjustable Headrest Bracket for Optimum Viewing Angle
10.1" HD Quality 800 x 480 High Resolution TFT-LCD Display
Rear-Loading DVD Player for DVD & 720P Video File Playback
Cigarette Lighter Adapter Power Cable for Easy D.I.Y. Wiring
Bracket Accepts Headrests w/ Dual Pole Distance 4.5" - 7.25"
Pole Diameter Adapters Included: 3/8" - 5/8"

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Full Size SD Card
720p MP4 & WMV Video; MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

HDMI Input for MobileLink Smartphone Mirroring
8-Channel FM Stereo Transmitter for OEM Integration
RCA & 3.5mm A/V Input for External Source Input
RCA A/V Output for External Display Devices or Slave
3.5mm AUX Audio Output for Hardwired Headphone Listening

MOBILELINK INTEGRATION

MobileLink Mirrors the Image of Your Smartphone
Or Tablet To The Ceiling Monitor via HDMI Interface
Cable. (sold separate)



PT-712IRA

7" LCD HEADREST MONITOR

GENERAL INFORMATION

7" Amorphous Active Matrix TFT/LCD Monitor
Ultra Bright LED Backlighting
Ignition Power On/Off Optional
Two Auxiliary A/V Input
Dual Channel IR Transmitter
Selectable Aspect Modes
Preset/Manual Image Control
NTSC/PAL Selection
Remote Control Included
480 x 234 (16:9) Image Resolution
400NIT Panel Brightness
Cutout Dimension: 7"w x 4.75"h x .75"d



REAR SEAT ENTERTAINMENT

HP-11S - SINGLE 1CH. IR HEADPHONE HP-22IRT - PAIR 1CH. IR HEADPHONES & TRANS

GENERAL INFORMATION

Ear Pads Fold Flat for Seat Pocket Storage
Adjustable Headphone Straps
EVA hard Carry Case Included
MP3 Player Input Via 3.5mm Jack
On/Off Switch Saves Battery Life
Auto Power Off Function
Auto Mute Function
Variable Volume Control
ALC Auto Level Control



HP-12S - SINGLE 2CH. IR HEADPHONE

GENERAL INFORMATION

Adjustable Headphone Straps
Channel Selectable From Each Headphone
Ear Pads Fold Flat for Seat Pocket Storage
EVA hard Carry Case Included
MP-3 Player Input Via 3.5mm Jack
On/Off Switch Saves Battery Life
Auto Power Off Function
Auto Mute Function
Variable Volume Control
ALC Auto Level Control



HP-900S - SINGLE 2CH. 900MHZ HEADPHONE HP-902RFT - PAIR 2CH. 900MHZ HEADPHONES & TRANS

GENERAL INFORMATION

Ear Pads Fold Flat for Seat Pocket Storage
Channel Selectable From Each Headphone
Dual Stereo Audio Inputs
100ft. Operational Distance
Adjustable Headphone Straps
EVA hard Carry Case Included
MP-3 Player Input Via 3.5mm Jack
On/Off Switch Saves Battery Life
Auto Power Off Function
Auto Mute Function
Variable Volume Control
ALC Auto Level Control



REAR VIEW CAMERAS

BUC-1 - FLUSH OR SURFACE MOUNT BACK-UP CAMERA

BUC-2 - LICENSE PLATE MOUNT BACK-UP CAMERA

Back-up Cameras Reduce
Likelihood of Back-over
Incidents by up to 50%!



GENERAL INFORMATION

Advanced 1/4" 720P CMOS Color Camera
On-screen Color Coded Distance Gauge
Imaged Reversed to Driver's Orientation
0.01 LUX Low Light Sensitivity Improves Poor Visibility
RCA Output to Connect to Car Stereo or LCD Monitor
IP65 Waterproof Construction & Cable Connections
20ft Installation Cable Included for Any Vehicle Application
Dedicated Trigger Can Activate Camera When In Reverse Gear
Surface & Flush Mounting Hardware Included (BUC-1)
Hole Saw Included For Easy Flush Mount Installation (BUC-1)
Adjustable Mounting Bracket Fits Behind License Plate (BUC-2)
1700 Capture Angle with 648 x 488 Image Resolution



PADVD-390 1-DIN DVD PLAYER W/32GB SD/USB PLAYBACK

GENERAL INFORMATION

1-DIN DVD Player for Rear Seat Entertainment Systems
ISO 1-Din Chassis, Mounting Sleeve & Brackets Included
Mounting Brackets for Optional Vertical Mounting
10' Remote Control Receiver Eye Extension Included

DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from Up to 64GB USB Flash Drive
720p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

AUDIO/VIDEO IN's & OUT's

2ch Preamp RCA Outputs; Front Left & Front Right
RCA Video Output to Rear Seat Entertainment Systems



—NEW FOR—
2022

For decades, car amplifiers have been repetitiously manufactured having a common horizontal shape. While practical, this stereotypical form factor has gone stale. End caps & trim bezels do their best to spruce up lifeless heatsinks. However, at the end of the day, this lack of creativity might leave you desiring more. It's time to break these stubborn habits and set in motion a new trend in amplifier design. MOFO amplifiers depart from the mundane squatty shape of conventional amplifiers, bringing character back to amplifier design. A diecast aluminum 4-leg pedestal secures a compact 5.75" square MOFO tower chassis, leaving ample floorspace in any trunk or cargo space. You could even attach MOFO amps to wall panels with an included wall-mount bracket. Keeping up with your demands, MOFO amps use advanced high-current power supplies and Class D output topology delivering power beyond your wildest dreams...



5.75" Square Monolith Chassis Design for Installation Versatility
Die-cast Aluminium 4-leg Pedestal for Vertical Installation
Mounting Bracket for Wall or Horizontal Mounting Included
1-ohm Stable Monoblock for Multi-Woofer Applications
2-ohm Stereo & 4-ohm Bridged Stable 2ch. & 4ch.
Direct Short, Thermal, & Overload Circuits Protect Amplifier
On-board Protection Mode & Signal Clipping Indicators

200mv-6V Low Level RCA Input Accepts Balanced Signal
Variable 12dB High Pass/Subsonic & Low Pass Crossovers
Variable 0-12dB 45Hz Bass Boost Increases Bass Harmonics
4ga Power/Ground Wire Terminals w/ 0ga Adapter (MOFO1)
8ga Power/Ground Wire Terminals, w/ 4ga Adapter (MOFO2/4)
8ga Direct Connect Speaker Output Wire Terminals
Dash-Mount Remote Level Control Included

MOFO AMPLIFIERS	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED / 1Ω	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	HEIGHT (5.75"W x 5.75"D)	GAIN CONTROL INCLUDED
MOFO2-2KD	2,000	1 x 600	2 x 300	2 x 200	7.50"	-
MOFO4-2KD	2,000	2 x 300	4 x 150	4 x 100	9.00"	-
MOFO4-3KD	3,000	2 x 500	4 x 250	4 x 190	10.00"	-
MOFO1-3KD	3,000	1 x 1,400	1 x 900	1 x 600	6.25"	INCLUDED
MOFO1-6KD	6,000	1 x 2,500	1 x 1,700	1 x 1,100	7.00"	INCLUDED
MOFO1-10KD	10,000	1 x 4,000	1 x 2,600	1 x 1,700	7.50"	INCLUDED

SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

SABRE SERIES

— NEW FOR —
2022



Weighing-in featherweight, SABER amplifiers still pack a heavyweight punch. These contenders bulk-up with the latest in class D amplifier technology, fueling them to go the distance. Title challengers include single 2ch & 4ch upstarters & three 1-ohm stable monoblock underdogs. Don't get caught on the ropes against these maulers, they're the pound-for-pound prizefighter in the main event...



Dash Mount Gain
Control Included

High Efficiency Class D Full Range & Monoblock Amplifiers
Compact 4.75" Chassis Design for Installation Versatility
MOSFET Power Supply w/ Audiophile Grade IRTM Transistors
Military Grade SMT PCB Maintains Dynamic Performance
2-ohm Stereo & 4-ohm Bridged Full Range Operation
1-ohm Stable Monoblock Operation for MAX Power
Die-Cast Aluminum Alloy Heatsink for Optimum Dissipation
Direct Short, Thermal, & Overload Circuits Protect Amplifier

Variable 12dB High Pass, Low Pass, & Subsonic Crossovers
200mV-6V Low Level RCA Inputs
4g Power Wire & 8g Speaker Wire Outputs
High Level Input w/ Signal Sense Auto Turn-on
12dB Bass Boost Increases Low Octave Harmonics
180° Phase Shift Improves Low Octave Dynamics (SB1 only)
Dash Mount Gain Control Module Included (SB1 only)

Tale of the Tape

SABRE AMPLIFIERS	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED / 1Ω	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	DIMENSIONS (5.00"W x 2.00"H)	GAIN CONTROL INCLUDED
SB2-2000D	2,000	1 x 660	2 x 330	2 x 220	5.50"	-
SB4-2500D	2,500	2 x 450	4 x 225	4 x 150	9.00"	-
SB1-3000D	3,000	1 x 400	1 x 600	1 x 1,000	9.00"	INCLUDED
SB1-5000D	5,000	1 x 700	1 x 1,100	1 x 1,700	10.25"	INCLUDED
SB1-7500D	7,500	1 x 1,000	1 x 1,600	1 x 2,500	13.75"	INCLUDED

SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

RAZOR AMPLIFIER

For those who want the most out their car audio system, quality sound processing is a must. After some slight adjustments, your system can sound like it has been tuned by audio professionals. Razor DSP amplifiers offer similar sound processing options by including the functions of a Digital Sound Processor. Adjusting the DSP is easy, using an intuitive user interface. Connection to the DSP module is possible via USB connection to personal computers, or by Bluetooth to an available Android & iOS device App. Unlock the best from any system with Razor DSP amplifiers.

Integrated 100dB Dynamic Range, -80dB THD+N ADC
 Integrated 104dB Dynamic Range, -90dB THD+N DAC
 User Friendly SigmaStudio™ User Interface w/ Response Display
 30V MAX 4-ch High Level & 4V MAX RCA Input Voltage
 2ch. RCA output for Subwoofer Amplifier Integration
 Optional High Level Input from Hands-Free Bluetooth Module
 Optional Independent Input or Channel Mixing/Summing
 Up to +6dB / -60dB Master Input Level
 Up to -60dB Independent Channel Level Cut
 Up to 20ms Independent Channel Delay, 0.05ms Increments
 Independent Channel 0°/180° Phase Control
 Independent Channel High, Low or Bandpass Crossover
 Independent Channel 6dB-48dB/Octave Crossover Slope
 Variable Frequency Crossover Setting, 20Hz-20kHz
 10-Band Graphic Equalizer for Each Channel
 20dB Boost/Cut for Each Band
 Variable Independent Band Q Adjustment, 0.4-9.6



Master Volume Level
For All Channels
Simultaneously



Time Delay For
Each Channel,
in Milliseconds
or Centimeters



Selectable Crossover
For Each Channel, Up
To 48dB, All Filter Types,
& Variable Frequency



Output Level, Phase
Polarity, & Mute For
Each Channel



Variable Frequency
10-Band EQ w/ Varia-
ble Q Factor, & 20dB
Gain Each Channel



Windows/PC Software
Available at
poweracoustik.com/razorDSP

We've also engineered traditional Razor amplifiers to fit in virtually any location in your ride. Other sport compact amplifiers use bizarre technologies with pseudo power supplies, FAKE NEWS! Razor amps use tried and tested MOSFET power supplies & tenacious Class D circuitry.

High Efficiency Class D Full Range & Monoblock Amplifiers
 Compact 4.75" Chassis Design for Installation Versatility
 MOSFET Power Supply w/ Audiophile Grade IRTM Transistors
 Military Grade SMT PCB Maintains Dynamic Performance
 2-ohm Stereo & 4-ohm Bridged Full Range Operation
 1-ohm Stable Monoblock Operation for MAX Power (3500D)
 Die-Cast Aluminum Alloy Heatsink for Optimum Dissipation
 Direct Short, Thermal, & Overload Circuits Protect Amplifier

Variable 12dB High Pass, Low Pass, & Subsonic Crossovers
 200mV-6V Low Level RCA Inputs
 4g Power Wire & 8g Speaker Wire Outputs
 High Level Input w/ Signal Sense Auto Turn-on
 12dB Bass Boost Increases Low Octave Harmonics
 180° Phase Shift Improves Low Octave Dynamics (monoblock)
 Dash Mount Gain Control Module Included (select models)

RAZOR AMPLIFIERS	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED, 14.4V	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	DIMENSIONS (4.75"W x 1.625"H)	GAIN CONTROL INCLUDED
RZ4-1200D	1,200	2 x 300	4 x 150	4 x 100	9"	-
RZ4-2000D	2,000	2 x 500	4 x 250	4 x 190	11"	-
RZ4-2000DSPB	2,000	2 x 500	4 x 250	4 x 190	11"	-
RZ4-3000D	3,000	2 x 750	4 x 375	4 x 285	12.25"	-
RZ5-2500D	2,500	2 x 300 + 1 x 600	4 x 150 + 1 x 600	4 x 100 + 1 x 400	12.25	INCLUDED
RZ5-2500DSPB	2,500	2 x 300 + 1 x 300	4 x 150 + 1 x 600	4 x 100 + 1 x 400	12.25	INCLUDED
RZ1-1500D	1,500	-	1 x 900	1 x 600	10"	INCLUDED
RZ1-2300D	2,300	-	1 x 1,400	1 x 900	11"	INCLUDED
RZ1-3500D	3,500	1 x 2,100 (1Ω)	1 x 1,400	1 x 900	12.25"	INCLUDED



Dash Mount Gain
Control Included

OVERDRIVE AMPLIFIER

We're in a time where small is "in". Smaller, more economical vehicles are more and more desirable. But that doesn't mean you have to sacrifice big power for your system. Overdrive amplifiers pack huge amounts of power into small chassis thanks to efficient full-range class d topology and smt technology. Complimented with every possible preamp adjustment, overdrive amplifiers leave nothing to be desired...



High Efficiency Class D Full Range & Monoblock Amplifiers
Hybrid Aluminum Alloy Heatsink For Optimum Dissipation
2-Ohm Stereo & 4-Ohm Bridged Class D Full Range
1-Ohm Minimum Impedance Monoblock Operation
Mosfet Power Supply W/ Audiophile Grade IR™ Transistors
Military Grade Smt PCB Maintains Dynamic Performance

Direct Short, Thermal, & Overload Circuits Protect Amplifier
200mV-6V Low Level RCA Signal Input + Thru-Pass Output
4G Power Input Terminals & 12G Speaker Output Terminals
Variable 12dB High Pass, Low Pass, & Subsonic Crossovers
12dB Bass Boost Increases Low Octave Harmonics
Dash Mount Gain Control Module Included (Monoblocks)

OVERDRIVE AMPLIFIERS	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED, 14.4V	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	DIMENSIONS (7.25"W x 2.5"H)	GAIN CONTROL INCLUDED
OD2-1000	1,000	1 x 400	2 x 200	2 x 120	10"	-
OD4-1300	1,300	2 x 320	4 x 160	4 x 100	12.25"	-
OD4-1800	1,800	2 x 450	4 x 225	4 x 140	14"	-
OD5-3500	3,500	2 x 440 + 1 x 500	4 x 220 + 1 x 500	4 x 140 + 1 x 300	16.25"	INCLUDED
OD1-1500	1,500	-	1 x 500	1 x 300	10.25"	INCLUDED
OD1-3000	3,000	-	1 x 1,000	1 x 600	13.75"	INCLUDED
OD1-3500D	3,500	1 x 1,300	1 x 800	1 x 500	10"	INCLUDED
OD1-5000D	5,000	1 x 2,000	1 x 1,300	1 x 800	12.5"	INCLUDED
OD1-7500D	7,500	1 x 3,000	1 x 2,000	1 x 1,200	14.75"	INCLUDED

Vertigo AMPLIFIER



Dash Mount Gain
Control Included

Class A/B Full Range & Class D Monoblock Amplifiers
Hybrid Aluminum Alloy Heatsink for Optimum Dissipation
2-ohm Stereo & 4-ohm Bridged Class A/B Full Range
1-ohm Minimum Impedance Class D Monoblock Operation
MOSFET Power Supply w/ Audiophile Grade IR™ Transistors
Military Grade SMT PCB Maintains Dynamic Performance

Direct Short, Thermal, & Overload Circuits Protect Amplifier
200mV-6V Low Level/RCA Input w/ Bridged Operation Outputs
Barrier Strip Wire Terminals, 4g Power & 8g Speaker Outputs
Variable 12dB High Pass, Low Pass, & Subsonic Crossovers
12dB Bass Boost Increases Low Octave Harmonics
Dash Mount Gain Control Module Included (monoblocks)

VERTIGO AMPLIFIERS	MAX POWER (WATTS)	RMS POWER 4Ω BRIDGED, 14.4V	RMS POWER 2Ω, 14.4V	RMS POWER 4Ω, 14.4V	DIMENSIONS (8.75"W x 2"H)	GAIN CONTROL INCLUDED
VA2-1400D	1,400	1 x 400	2 x 200	2 x 120	8.5"	-
VA4-1800D	1,800	2 x 320	4 x 160	4 x 100	11.75"	-
VA4-2200D	2,200	2 x 400	4 x 200	4 x 120	11.75"	-
VA1-1600D	1,600	-	1 x 360	1 x 200	9"	INCLUDED
VA1-4000D	4,000	1 x 1,000 (1Ω)	1 x 600	1 x 350	11.75"	INCLUDED
VA1-6000D	6,000	1 x 1,800 (1Ω)	1 x 1,000	1 x 600	13.5"	INCLUDED
VA1-8000D	8,000	1 x 2,600 (1Ω)	1 x 1,400	1 x 850	15"	INCLUDED
VA1-10000D	10,000	1 x 3,500 (1Ω)	1 x 2,000	1 x 1,200	18.25"	INCLUDED

mofo SUBWOOFER

Like the original MOFO's, the new models still use an aluminum dust cap that couples to the voice coil former and extends over the cone. Why? The fins brace the cone and eliminate cone flex during high excursion. And since they are aluminum and couple to the voice coil, they act as a heatsink or heat extractor. Using the latest materials, MOFO subwoofers yield superior performance. Cast aluminum baskets? Of course! Increased bottom octave output? You Bet! Louder than the original design? Duh!!

Overcompensating Motor Structure for Maximum Magnetic Strength
12mm T-Yoke & Top Plate Improve Low Frequency Dynamics
Vented T-Yoke & Frame Reduces Voice Coil Heat Build-up
Die Cast Aluminum Heatsink Dust Cap Absorbs Voice Coil Heat
Aluminum Dust Cap Fins Dissipate Heat & Strengthen Cone
Non-Magnetic Non-Resonate Die-Cast Aluminum Frame
2.5" 4-Layer Voice Coil w/ Large Gauge Wire Increases Power
High-Temperature Tolerance Adhesives Resist Thermal Failure
Nickel Plated 8ga Spring-Loaded Compression Wire Terminals
Non-Transfer Spruce Pulp Cone w/ UV & Chemical Protection
High Density Polyether Foam Surround w/ UV & Chemical Protection
Dual Poly-Cotton Suspension Dampen Violent Accelerations
Stitched Voice Coil Leads Prevent Potential Damage
1-pc Gasket/Trim Ring w/ Concealed Mounting Holes Included



MOFO SUBWOOFERS	MAX POWER HANDLING	RMS POWER HANDLING	EFFICIENCY (1W/1M)	VOICE COIL CONFIGURATION	MOTOR VOLUME	MOUNTING DEPTH	OPTIMUM SEALED ENCLOSURE	OPTIMUM PORTED ENCLOSURE
MOFO-104X	2,400w	1,200w	83.48dB	2.50" DUAL 4Ω	288oz.	6.125"	0.75Ft³	1.25Ft³
MOFO-102X			83.62dB	2.50" DUAL 2Ω				
MOFO-124X	2,700w	1,500w	85.40dB	2.50" DUAL 4Ω	373oz.	6.875"	1.00Ft³	2.00Ft³
MOFO-122X			85.37dB	2.50" DUAL 2Ω				
MOFO-154X	3,000w	1,700w	86.97dB	2.50" DUAL 4Ω	373oz.	8.125"	2.00Ft³	4.00Ft³
MOFO-152X			86.90dB	2.50" DUAL 2Ω				

mofo TYPE S

MOFO Type S subwoofers are refined and increase efficiency dramatically! MOFO Type S subwoofer uses a composite sandwich cone with a polypropylene surface for durability and Spruce pulp backing for smooth low bass. Reliable and works in ported or sealed subwoofer enclosures



MOFO TYPE S SUBWOOFERS	MAX POWER HANDLING	RMS POWER HANDLING	EFFICIENCY (1W/1M)	VOICE COIL CONFIGURATION	MOTOR VOLUME	MOUNTING DEPTH	OPTIMUM SEALED ENCLOSURE	OPTIMUM PORTED ENCLOSURE
MOFOS-12D4	2,500w	1,200w	86.50dB	2.50" DUAL 4Ω	254oz.	7.50"	1.25Ft³	2.50Ft³
MOFOS-12D2			86.40dB	2.50" DUAL 2Ω				

BAMF SUBWOOFER

BAMF subwoofers are the newest secret weapon for you bass BURP fanatics! These beasts are engineered for the most extreme conditions. Massive 3" 4-layer voice coils built on an aluminum former can take the heat. Freakishly oversized motor structures provide more magnetic inertia than is ever necessary for a woofer. Spruce tree pulp cones, high density extended excursion foam surround, and hybrid suspension dampers work together to contain the momentum to a shattering roar...



Overcompensating Motor Structure for Maximum Magnetic Strength
12mm T-Yoke & Top Plate Improve Low Frequency Dynamics
Vented T-Yoke & Frame Reduces Voice Coil Heat Build-up
Non-Magnetic Non-Resonate Die-Cast Aluminum Frame
3" 4-Layer Voice Coil w/ Direct Connect Wire Increases Power Handling
High-Temperature Tolerance Adhesives Resist Thermal Failure

Non-Transfer Spruce Pulp Cone w/ UV & Chemical Protection
Stitched and Glued Surround/Cone Joints for Strongest Bonding
Extended Excursion Polyether Foam Surround w/ UV Protection
Dual Poly-Cotton Suspension Dampen Violent Accelerations
Stitched Voice Coil Leads Prevent Potential Damage
1-pc Gasket/Trim Ring w/ Concealed Mounting Holes Included

BAMF SUBWOOFERS	MAX POWER HANDLING	RMS POWER HANDLING	EFFICIENCY (1W/1M)	VOICE COIL CONFIGURATION	MOTOR VOLUME	MOUNTING DEPTH	OPTIMUM SEALED ENCLOSURE	OPTIMUM PORTED ENCLOSURE
BAMF-124	3,500w	1,750w	84.60dB	3" DUAL 4Ω	272oz.	6.75"	1.00FT ³	2.00FT ³
BAMF-122			85.00dB	3" DUAL 2Ω				
BAMF-154	3,800w	1,900w	86.40dB	3" DUAL 4Ω	272oz.	8.00"	2.00FT ³	4.00FT ³
BAMF-152			86.10dB	3" DUAL 2Ω				



PRE-ASSEMBLED
RE-CONE KIT AVAILABLE

GOTHIC SUBWOOFER

Overcompensating Motor Structure for Maximum Magnetic Strength
10mm T-Yoke & Top Plate Improve Low Frequency Dynamics
Vented T-Yoke & Frame Reduces Voice Coil Heat Build-up
2.50" 4-Layer Voice Coil w/ Nickel Plated 8ga Spring-Loaded Terminals
High-Temperature Tolerance Adhesives Resist Thermal Failure
Composite Spruce Pulp Cone w/ Twisted Woven Flax Fiber
Stitched and Glued Surround/Cone Joints for Strongest Bonding
Extended Excursion NBR Rubber Surround w/ UV Protection
Poly-Cotton Suspension Dampen Violent Accelerations
Stitched Voice Coil Leads Prevent Potential Damage
1-pc Gasket/Trim Ring w/ Concealed Mounting Holes Included



GOTHIC SUBWOOFERS	MAX POWER HANDLING	RMS POWER HANDLING	EFFICIENCY (1W/1M)	VOICE COIL CONFIGURATION	MOTOR VOLUME	MOUNTING DEPTH	OPTIMUM SEALED ENCLOSURE	OPTIMUM PORTED ENCLOSURE
GW3-10	2,200w	1,000w	81.30dB	2.50" DUAL 2Ω	204oz.	6.00"	1.00FT ³	1.50FT ³
GW3-12	2,500w	1,200w	83.60dB		254oz.	6.50"	1.50FT ³	2.25FT ³

SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

caliber SUBWOOFER

Complimenting Caliber amplifiers, 2019's CBW woofer combines performance and affordability. Each 12" woofer has a 4-layer 1.5" dual 4-ohm voice coil, with spruce paper cones attached to foam surrounds to keep the momentum in check.

6mm T-Yoke & Top Plate Improve Low Frequency Dynamics
 Vented T-Yoke & Frame Reduces Voice Coil Heat Build-up
 1.50" 4-Layer Voice Coil w/ NQuick Disconnects Terminals
 High-Temperature Tolerance Adhesives Resist Thermal Failure
 Composite Spruce Pulp Cone w/ Twisted Woven Flax Fiber
 Stitched and Glued Surround/Cone Joints for Strongest Bonding
 Extended Excursion NBR Rubber Surround w/ UV Protection
 Poly-Cotton Suspension Dampen Violent Accelerations
 Stitched Voice Coil Leads Prevent Potential Damage
 1-pc Gasket/Trim Ring w/ Concealed Mounting Holes Included



CALIBER SUBWOOFERS	MAX POWER HANDLING	RMS POWER HANDLING	EFFICIENCY (1W/1M)	VOICE COIL CONFIGURATION	MOTOR VOLUME	MOUNTING DEPTH	OPTIMUM SEALED ENCLOSURE	OPTIMUM PORTED ENCLOSURE
CBW-124	1,500w	500w	81.30	1.50" DVC 4Ω	60oz.	5.125"	1.00FT ³	2.00FT ³



EDGE SHALLOW SUBWOOFER



EDGE SHALLOW SUBWOOFERS	MAX POWER HANDLING	RMS POWER HANDLING	EFFICIENCY (1W/1M)	VOICE COIL CONFIGURATION	MOTOR VOLUME	MOUNTING DEPTH	OPTIMUM SEALED ENCLOSURE	OPTIMUM PORTED ENCLOSURE
EW-104S	1,200w	600w	81.30	2.00" 4Ω	60oz.	2.50"	0.75FT ³	-
EW-124S	1,400w	700w	83.60				1.00FT ³	-

SPECIFICATIONS & DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE

ACTIVE SUBWOOFER

PUB-8L - POWERED ENCLOSURE w/ 8" SUBWOOFER

PUB-10L - POWERED ENCLOSURE w/ 10" SUBWOOFER

ACTIVE SUBWOOFER ENCLOSURE W/ AMPLIFIER BUILT-IN

— NEW FOR —
2022

Today's active powered subwoofers bring big bass to small spaces that a typical subwoofer wouldn't fit. PUB active subwoofers are made from a die-cast powdercoated aluminum enclosure w/ an integrated grill, protecting the subwoofer & amplifier from unintentional damage. Traditional pre-amp features like low-pass crossover, 45Hz bass boost, and a signal phase switch bring dynamic sound to life. RCA Line-in & speaker-level inputs with signal sensing turn-on provide various options to integrate PUB into your vehicles audio system. A wired remote control is included, allowing volume adjustment from the driver's seat.



Dash Mount Gain
Control Included

Powder Coated Diecast Aluminum Enclosure
RGB LED Lighting Flood the Subwoofer with Light
600w Class D Monoblock Subwoofer Amplifier (PUB-8L)
800w Class D Monoblock Subwoofer Amplifier (PUB-10L)
Variable 50-150Hz 12dB Low Pass Crossover
Variable 0-12dB Bass Boost Centered at 45Hz
0-180 Signal Phase Switch for Dynamic Response

High Level Input on Quick Disconnect Harness
Optional High Level Signal Sense Auto-Turn On
200m V-6V Stereo Low Level RCA Input
8g Power/Ground Wire Input Terminal
Dash-Mount Remote Level Control Included
9.50" w x 3.375" h x 12.25" L (PUB-8L)
10.25" w x 3.375" h x 13.50" L (PUB-10L)

EDGE SPEAKERS

EF-60C

6.5" COMPONENT SYSTEM

500w Max Power Handling
Improved Efficiency Diaphragm & Magnet Structure
Carbon Fiber Injection Molded Polypropylene Cone
Treated Woven Cloth Surround
1" Voice Coil on Aluminum Former
4-ohm System Impedance
Quick Disconnect Terminals
1" Flush Mount Dome Tweeter
Passive Crossover Included
Speaker Grill Included
Freq-Response: 70-20kHz
Sensitivity: 93dB
Mounting Depth: 2.5"



EF-694



EF-653



EF-52



EF-42



EF-573

Improved Efficiency Diaphragm & Magnet Structure
Carbon Fiber Injection Molded Polypropylene Cone
Treated Woven Cloth Surround
1" Voice Coil on Aluminum Former
4-ohm System Impedance
Quick Disconnect Terminals
2" Balanced Dome Mylar Midrange (EF-694)
1" Balanced Dome Mylar Tweeter
1/2" Dome Super Tweeter (select models)

EDGE SPEAKERS	SIZE & TYPE	MAX POWER	FREQUENCY RESPONSE	EFFICIENCY (1w/1m dB)	MOUNTING DEPTH
EF-60C	6.5" COMPONENT	500w	65-20kHz	92dB	1.75"
EF-694	6"x9" 4-WAY	800w	45-20kHz	93dB	3.25"
EF-573	5" x 7" 3-WAY	500w	65-20kHz	92dB	1.75"
EF-653	6.5" 3-WAY	400w	65-20kHz	92dB	1.75"
EF-52	5.25" 2-WAY	300w	80-20kHz	90dB	2.125"
EF-42	4" 2-WAY	250w	100-20kHz	90dB	1.75"

COMPONENT TWEETERS

NB-1

2-WAY MOUNT TWEETER 200 WATTS


Niobium Rare Earth Ferroelectric Transducer Magnet
Polypropylene Diaphragm
100 Watts R.M.S.
Freq. Resp. 5kHz to 25KHz
Imp. 4 Ohm
Surface/Angle Mount
SPL 97 dB
Built in Crossover



NB-2

3-WAY MOUNT TWEETER 200 WATTS

Niobium Rare Earth Ferroelectric Transducer Magnet
Polypropylene Diaphragm
100 Watts R.M.S.
Freq. Resp. 5kHz to 25KHz
Imp. 4 Ohm
Surface/Angle Mount/Flush Mount
SPL 97 dB
Built in Crossover



NB-4

4-WAY MOUNT TWEETER 250 WATTS

Niobium Rare Earth Ferroelectric Transducer Magnet
Swivel/Surface/Angle Mount/Flush Mount
Polypropylene Diaphragm
Built in Crossover
Freq. Resp. 5kHz to 25KHz
Imp. 4 Ohm
SPL 97 dB



NX-5

Bullet Tweeter 200 watts MAX

1" Horn Loaded Bullet tweeter
Machined Aluminum Chassis
Titanium Dome Diaphragm
1" High Temperature Voice Coil
Acrylic Phase Plug
High Strength Neodymium Magnet
Freq. Resp 3kHz-20kHz
Impedance: 3 ohm
Efficiency: 109dB
Sold in pairs



XPS-104

4" Sealed-back Midrange

300 watts max
.75" Voice Coil
Freq. Resp. 450 Hz. to 10kHz.
15 oz. Magnet
Imp. 4 Ohm
SPL 92 dB
Mounting Depth: 1.75"
Sold Individually



MID-65

6.5" Midrange

25" High Temperature Voice Coil
Heavy Gauge Stamped Steel Basket
High Strength Magnet
Freq. Resp 150Hz - 15KHz
Impedance: 4 ohm
Efficiency: 96dB
MAX Power Handling: 300W
RMS Power Handling: 150w
Mounting Depth: 2.75"
Sold Individually



AMPLIFIER ACCESSORIES

AK-0 - 0g Amplifier Wire Kit w/ 200A ANL Fuse

AK-4 - 4ga Amplifier Wire Kit w/ 120A MANL Fuse

AK-8 - 8ga Amplifier Wire Kit w/ 80A MANL Fuse

Each Wire Kit Includes:

17ft Power Wire w/ Ring Terminal
3ft Ground Wire w/ Ring Terminal
17ft Twisted Pair RCA Interconnect
17ft Remote Turn-on Wire
25ft 16g Split Speaker Wire
Full Size MANL Fuse Holder
ANL or MANL Fuse Included
Assorted Installation Accessories



CAPACITORS

PC1.5F

1.5 Farad Power Capacitor

Terminal Post for Ring Terminal
Digital Voltage Meter
Translucent Mounting Brackets
Brushed Aluminum Finish



PCX-5F

5 Farad Power Capacitor


12-16 DC Volts Operation
Satin Finish w/ Chrome Accents
Terminal Post for Ring Terminal
Polarity & Voltage Protection
Protection Alert Indicator
Digital Voltage Meter
LED Accent Lighting



PCX-30F

30 Farad Hybrid Power Capacitor

12-16 DC Volts Operation
Internally Stacked Carbon-Foil Capacitors
Direct Connect 0 ga. Terminals & 4 ga. Reducers
Digital Voltage Meter
Polarity & Voltage Protection
Protection Alert Indicator
LED Accent Lighting
Satin Finish w/ Chrome Accents



BASS-12C

Bass Maximizer

Chrome Finish w/ Illuminated Badge
PWM High Head Room Power Supply
27-63Hz Parametric Bass Boost
Variable Bandwidth Adjustment
Max Output Level: 13.5 volt
Dash Mount Remote Control
LED MAX Bass Indicators
35-80Hz Variable Subsonic Filter
Balanced RCA Inputs
Selectable Input Ground Sources
Selectable Grounding Isolation
Frequency Response: 10~100kHz
THD: 0.003%
S/N Ratio: 130dB



BASS-10C

Bass Maximizer

PWM High Head Room Power Supply
27-63Hz Parametric Bass Boost
Variable Bandwidth Adjustment
Max Output Level: 13.5 volt
Dash Mount Remote Control
LED MAX Bass Indicators
Selectable Subsonic Filter
Balanced RCA Inputs
Selectable Input Ground Sources
Selectable Grounding Isolation
Frequency Response: 10~100kHz
THD: 0.003%
S/N Ratio: 130dB
Input Noise Rejection: 60 dB



EQ PARAMETRIC EQUALIZERS

PWM-5V

5 Band Parametric Equalizer W/ Voltage Level Indicator

Equalization Range: +/- 12 dB
Frequency Response: 10 Hz-50k Hz +/- 1 dB
Maximum Output Voltage: 8.5v-9v
Thd: 0.05%
Input Sensitivity: 3V
Gain Range: 20 dB
Channel Separation Degree: 82 dB/1k Hz
Input Impedance: 20k ohms
Out Impedance: 2k ohms
Power Supply: 11 V-15 V DC Neg. ground
Size: 17.8 cm X 10.5 cm X 2.54 cm



EQ

EQUALIZERS



PWM-20

4-Band 1/2 DIN Equalizer

- 2 Selectable Balanced Inputs
- Variable Stereo Input Sensitivity
- 4 Variable Frequency Bands +/- 18dB Parametric EQ
- Independent Volume & Fader Control
- Independent Subwoofer Output and Level Control
- Variable Subwoofer Low-Pass Crossover
- 8V MAX Front, Rear, & Subwoofer Outputs
- Low Noise BI-FET Op-Amp for Minimum Distortion
- 20dB Headroom, 30V Bipolar Power Supply
- Blue LED Backlighting
- Quick Disconnect Wire Harness
- S/N Ratio 115dB @1V
- THD:0.05%



PWM-19

4-Band 1/2 DIN Equalizer

- 2 Selectable Balanced Inputs
- Variable Stereo Input Sensitivity
- 4 bands +/- 18dB Parametric Equalizer
- Independent Volume & Fader Control
- Independent Subwoofer Output and Level Control
- Variable Subwoofer Low-Pass Crossover
- 7V MAX Front, Rear, & Subwoofer Outputs
- Low Noise BI-FET Op-Amp for Minimum Distortion
- 20dB Headroom, 30V Bipolar Power Supply
- Selectable Green/Amber Illumination
- Quick Disconnect Wire Harness
- Under Dash Mounting Hardware Included
- S/N Ratio 110dB @5V
- THD:0.05%



PWM-16

4-Band 1/2 DIN Equalizer

- 2 Selectable Balanced Inputs & Front Panel AUX Input
- 4 bands +/- 18dB Parametric Equalizer
- Independent Volume & Fader Control
- Independent Subwoofer Output and Level Control
- Variable Subwoofer Low-Pass Crossover
- 7V MAX Front, Rear, & Subwoofer Outputs
- Blue LED Backlighting
- Quick Disconnect Wire Harness
- S/N Ratio 80dB @5V
- THD:0.05%

MOTORSPORTS

AUDIO

MCS-22C (CHROME FINISH)

MCS-22B (BLACK FINISH)

3" Handlebar Mounted Amplified System – Wirelessly Connect Bluetooth Audio & USB Input

avor your weekend as you cruise down the road on your motorcycle while listening to your favorite music without worrying about water, mud, dirt, and dust.

Featuring an injection-molded UV-Treated Polypropylene cone and easy-to-use front-mounted controls for making quick adjustments to volume or track while at a red light or before you take off on your journey.

Mounting the MCS-22C system to fit motorcycles easily with slide-in metal adaptors to fit the metric, the standard Bike bolts in with two screws, and no adaptor needed! Installation is also quick and easy with a three-wire connection and single-run cable that easily tucks in and follows your motorcycle's wiring with ease.

Sit back and ride, knowing that you have put your music in the engineering hands of Power Acoustik. (Sold in Pairs)

Power Rating: 40W x 2 Watts (Ea)

Built-in Bluetooth Audio Streaming

Built-in FM Radio & USB Input (Supports 64GB)

Ea Pod Dimensions 3"w x 3"h x 3.5"d

—NEW FOR—
2022



MCD-51B (w/ Bluetooth V2.0) 1-DIN Marine CD Player w/32GB USB Playback

CD/MP3, AM/FM & USB Receiver
Conformal Coated PCB and Faceplate
Theft Deterrent Detachable Faceplate
Bluetooth V2.0 Hands Free Calling from Smart Phone
A2DP MP3 Audio Playback from Enabled Device
Playback from 32GB USB of MP3 & WMA
Playback from CD, CDR, CDRW of MP3 & WMA
Aux Audio Input for Personal Media Devices
Front & Rear Pre-Amp Output
52w x 4 MOSFET Speaker Outputs
Custom & Pre-Set Equalizer Settings
Audio Staging Controls
12/24 Hour Digital Clock
Remote Control Included
Faceplate Carry Case Included



Razor Marine Amplifiers

Compact 4.75" Chassis Design for Installation Versatility
Splash Resistant Conformal Coated Circuit Boards
MOSFET Power Supply w/ Audiophile Grade IR™ Transistors
Military Grade SMT PCB Maintains Dynamic Performance
2-ohm Stereo & 4-ohm Bridged Full Range Operation
2-Ohm Stable Class A/B Monoblock Operation
1-ohm Stable Class D Monoblock Operation
Direct Short, Thermal, & Overload Circuits Protect Amplifier
200mv-6V Low Level RCA Inputs
High Level Input w/ Signal Sense Auto Turn-on
Variable 12dB High Pass & Low Pass Crossovers
10-50Hz Variable 12dB Subsonic Crossover Protects Subwoofers
12dB Bass Boost Increases Low Octave Harmonics (monoblocks)
Dash Mount Gain Control Module Included (select models)

RAZOR	MAX POWER	RMS POWER	RMS POWER	RMS POWER	DIMENSIONS	GAIN CONTROL
CLASS D	(WATTS)	4Ω BRIDGED, 14.4V	2Ω, 14.4V	4Ω, 14.4V	(4.75"W x 1.625"H)	INCLUDED
MA4-3000D	3,000	2 x 750	4 x 375	4 x 285	12.25"	-
MA5-2500D	2,500	300 x 2 + 600 x 1	150 x 4 + 600 x 1	100 x 4 + 400 x 1	12.25"	INCLUDED
MA1-2300D	2,300	-	1 x 1,400	1 x 900	11"	INCLUDED

MWT-65B (RGB LED)

MWT-80BL (RGB LED)

MWT-BL Series 6.5" and 8.0" tower speakers are equipped with an easy swivel bracket that allows you to modify your music's trajectory quickly.

—NEW FOR—
2022

—NEW FOR—
2022



Wake Tower Speakers

100% Waterproof Enclosure and Speaker System
High Density ABS Construction w/ UV Coating
Steel Reinforced Bracket Fits Most Towers
Braided Stainless Steel Safety Cable Included
Stainless Steel Mounting Hardware Included
Polypropylene Cone and Titanium Tweeter
Quick Disconnect Compression Terminals
Meets ROHS and CE Certifications
4-ohm System Impedance



WAKE TOWER SPEAKERS	SIZE & COLOR	MAX POWER	RMS POWER	FREQUENCY RESPONSE	EFFICIENCY (1W/1M DB)	OVERALL SIZE (HxWxL)
MWT-65W	6.5" WHITE	500W	250W	40-20kHz	90dB	8.5" x 8.5" x 9"
MWT-65T	6.5" TITANIUM					
MWT-65BL	6.5" BLACK					
MWT-80W	8" WHITE	750W	375W	30-20kHz	91dB	10" x 10" x 9.5"
MWT-80T	8" TITANIUM					
MWT-80BL	8" BLACK					

MF-65WT

6.5" Waterproof Marine Coaxial Speakers

Marine Grade Waterproof 6.5" Coaxial Speaker
High Density ABS Construction w/ UV Coating
100% Waterproof Sealed Back Speaker Frame
Stainless Steel Mounting Hardware Included
IMPP Polypropylene Cone & Rubber Surround
Rubber Surround & Tweeter Pole Gasket
1" Titanium Dome Tweeter
White and Titanium Grills Included
Quick Disconnect Terminals
Meets ROHS and CE Certifications
4-ohm System Impedance



MFL-65WB

6.5" Waterproof Marine Coaxial Speakers w/ Built-In LEDs

Power Acoustik Marine Speakers contain quality components and bring light into the weekend! With experience in making marine grade compliant products, we have what you need for your Truck, Boat, UTV, ATV Toys...

The MFL Series rugged yet satin design provides consumers with trouble-free, waterproof (IP65), excellent sound quality. Engineered for multiple elements, these Full Range speakers are a great addition to your marine application or Powersports vehicle! The MFL Speakers are available in 6.5", power handling up to 400w MAX Power for the pair.

MFL Speakers are sold in pairs and have built-in hidden Blue lighting accents (Requires 12v). Interchangeable White and Black Grille Covers Included.

—NEW FOR—
2022




MARINE SPEAKERS	SIZE & TYPE	MAX POWER	RMS POWER	FREQUENCY RESPONSE	EFFICIENCY (1W/1M DB)	OVERALL SIZE (WxHxL)
MF-65WT	6.5" COAXIAL	300W	150W	60-20kHz	91dB	7.5" x 7.5" x 2.5"
MFL-65WB	6.5" COAXIAL	400W	200W			



WWW.FARENHEITUSA.COM

Fahrenheit



MULTIMEDIA SOURCE UNITS

TIN-702HB

2-DIN GPS Navigation DVD multimedia Source Unit w/ ANDROID PHONELINK, BLUETOOTH V4.0, 7" LCD

TI-702HB

2-DIN DVD multimedia Source Unit w/ ANDROID PHONELINK, BLUETOOTH V4.0, 7" LCD



GPS Navigation

Turn-by-Turn GPS Navigation System Built-in
Street Maps of all 50 U.S.A. States on Micro SD
17 Million Points of Interest Database Included

Android PhoneLink

Android PhoneLink Mobile Device Integration
Complete Control Of Android Devices via USB

General Information

2-DIN Multimedia System w/ 6.2" LCD
ISO 2-Din Chassis, Mounting Sleeve Included
HD 6.2" 1024x600 LCD w/ Adjustable Backlight
Clear Glass Resistive Anti-Glare Touchscreen
7-Color RGB LED Illuminated Keys & Accents
Bluetooth 4.0 Phone Calling + A2DP Audio Streaming
RCA Back-up Camera Input w/ +12V Auto-on Trigger
Accessory Steering Wheel Remote Control Included
Steering Wheel Remote Control Input(s) Included
10-Band 8dB Boost/Cut Equalizer & Preset EQs
Smart Device Remote Control App available on app Stores
ID3 Tag & Album Art & Title Display



Digital Media Playback

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB or Full Size SD Card
1080p MP4 & WMV Video Playback; MP3 & WMA Audio Playback

Audio/Video In's & Out's

AUX Audio (3.5mm) Input for External Devices on Front Panel
6ch Preamp RCA Outputs; Front + Rear + Variable Subwoofer, 4V
RCA A/V Input for External Source Display + 2 RCA Video Output
4Ch. 300w Max Class A/B Full Range Speaker Amplifier Built-in



Steering Wheel
Remote Control



MULTIMEDIA SOURCE UNITS

TI-623B

2-DIN Multimedia Source Unit w/ 6.2" LCD Touch Screen



2-DIN Multimedia Receiver w/ 6.2" LCD Touch Screen
 Bluetooth V3.0 Hands Free Calling From Enabled Devices
 A2DP Wireless MP3 Audio Playback From Enabled Devices
 Built-in Steering Wheel Control Interface
 Playback from DVD & CD of MP3 & MP4
 Playback from 32GB SD/USB of MP3 & MP4
 ID3 MP3 Tag Reading for Track & Artist Information
 AUX A/V Input for Personal Media Devices
 Front & Rear Pre-Amp Audio Outputs
 Subwoofer Pre-Amp Audio Output
 Video Output for Auxiliary Devices
 Front View Camera Input
 Rear View Camera Input w/ Trigger
 300w 4 Ch. MOSFET Amplifier
 Custom & Preset Equalizer Settings
 Multi-Region FM Frequency Stepping
 800x480 Widescreen Resolution
 400 NIT LED Brightness



MULTIMEDIA SOURCE UNITS

TI-895B

1-DIN multimedia Source Unit w/ 7" LCD Touch Screen & BLUETOOTH



Bluetooth V3.0 Hands-Free Calling from Enabled Phone
A2DP Wireless MP3 Audio Playback from Enabled Phone
Accepts OEM Steering Wheel Control Interfaces
Custom Backgrounds & RGB Color Changing GUI
Advanced FM/AM Tuner with RDBS Receiver
Playback from DVD & CD of MP3 & MP4
Playback from 32GB SD/USB of MP3 & MP4
ID3 MP3 Tag Reading for Track & Information
AUX Audio Input for Personal Media Devices
RCA A/V Input for Auxiliary Sources

4-Band Audio Equalizer w/ User Presets
Front & Rear Pre-Amp Audio Outputs
Variable Subwoofer Low Pass Crossover
Variable Subwoofer Pre-Amp Output
Video Output for Auxiliary Devices
Rear View Camera Input w/ Trigger
300w 4ch. MOSFET Speaker Outputs
Multi-Region FM Frequency Stepping
800x480 Widescreen Resolution
400NIT LED Backlight

OVERHEAD ENTERTAINMENT

MD-1400H

Ceiling Mount DVD Entertainment System w/ 14" LCD & HDMI Input

GENERAL INFORMATION

Interchangeable Color Skins Included (beige, black, grey)
Car-Spec DVD Drive for Extreme Temperature Exposure
Triggered Bright White LED Dome Light
1,280 x 800 16:9 Widescreen Resolution
Stereo Speakers for Optional Audio Playback
Dimensions: 16.5" w x 14" d x 2.5" h

MOBILELINK INTEGRATION

MobileLink Mirrors the Image of Your Smartphone or Tablet To The Ceiling Monitor via HDMI Interface Cable (sold separate).



DIGITAL MEDIA PLAYBACK

Video & Audio Playback from DVD, DVDR, CD, & CDR Discs
Video & Audio Playback from 64GB USB & Full Size SD 1080p MP4 & WMV Video or MP3 & WMA Audio Playback

AUDIO/VIDEO IN'S & OUT'S

MHL MobileLink Input for Smart Device Integration
Dual Channel Wireless IR Transmitter (use HP-12S)
6-ch FM Stereo Transmitter for OEM Integration
RCA A/V Input for External Sources Display
RCA A/V Output to Auxiliary Display Devices




CM-103D

Ceiling Mount DVD Entertainment System w/ 10.3" LCD & HDMI Input

GENERAL INFORMATION

10.3" High Resolution LCD Screen
1,024 x 600 16:9 Widescreen Resolution
Interchangeable Color Skins (beige, black, grey)
Automotive-Spec DVD Transport for Extreme Conditions
Playback from DVDR/RW of 1080p MP4 & AVI
Playback from 32GB SD/MMC or USB of 1080p MP4 & AVI
MHL Input for Smart Device Connectivity
RCA A/V Input from Auxiliary Sources
Rear Panel RCA A/V Input from Game Console
Pre-Amp Audio Outputs
Single Channel Wireless IR Transmitter (use HP-11S)
330 Ch. FM Stereo Transmitter for OEM Integration
Full Function Remote Control Included
NTSC / PAL Auto Selection
400 NIT Screen Brightness
Dimensions: 13" w x 11" d x 2.5" h



MobileLink Integration

MobileLink Mirrors the Image of Your Smartphone or Tablet To The Ceiling Monitor via HDMI Interface Cable (sold separate).



REAR SEAT ENTERTAINMENT

HRD-91CC w/ DVD Player & 9" LCD
HRD-71CC w/ DVD Player & 7" LCD

HR-91CC w/ 9" LCD
HR-71CC W/ 7" LCD



ADDITIONAL SERIES DETAILS:

Forward/Backwards Tilting Headrest
3 Changeable Color Skins Included (grey, beige, black)
Playback from DVDR/RW of 720p MP4 & Other Videos (HRD)
Playback from 32GB SD/USB of 720p MP4 & Other Videos (HRD)
Dual Channel Wireless IR Transmitter (use HP-12S)
FM Stereo Transmitter for OEM Integration
AUX A/V Input for Game Console or Personal Media Devices
RCA A/V Input for Auxiliary Source or Opposite Headrest
RCA A/V Output to Auxiliary Source or Opposite Headrest
Hardwired Headphone Output
3/8" Locking Pole w/ 1/2" & 9/16" Adapters
4.75" ~ 8.25" Pole Width Adjustment
NTSC / PAL Auto Selection
800 x 480 16:9 Widescreen Resolution
400 NIT Screen Brightness
Dimensions: 11.5" w x 8.5" h x 6" d (91CC)
Dimensions: 10" w x 7" h x 5.5" d (71CC)



DVD-39
1-DIN DVD Player w/ 32GB USB Playback



Playback from DVDR/RW of MP4
Playback from 32GB USB of MP4
In-Dash, Floor, & Vertical Mounting Brackets Included
DIN Size Trim Ring For In-Dash Mounting Included
Flash Memory for Last Position Recall
Remote Control & IR Repeater Included
OSD On Screen Display
Digital Anti-shock
A/V Pre-amp Outputs, 2V
Dimensions: 6.4" x 6.2" x 2"

POWER ACOUSTIK®

PowerAcoustik.com

© 2022 POWER ACOUSTIK ELECTRONICS
MONTEBELLO, CALIFORNIA, U.S.A. ALL RIGHTS RESERVED
SPECIFICATIONS AND DESIGNS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
PRINTED IN U.S.A